

## **ANALYTICAL REPORT**

L- EPA-000176

Job Number: 180-2644-1

Job Description: Focused Site Assessment

For: Corpora

URS Corporation
Foster Plaza 4
501 Holiday Drive, Suite 300
Pittsburgh, PA 15220

Attention: Mr. James Pinta, Jr.

Approved for release. J# L Cokussy Project Mgmt. Assistant

Designee for
Carrie L Gamber
Project Manager II
carrie.gamber@testamericainc.com
09/13/2011

The test results in this report meet all NELAP requirements for parameters for which accreditation is required or available. Any exceptions to the NELAP requirements are noted in this report. Pursuant to NELAP, this report may not be reproduced, except in full, without the written approval of the laboratory. This report is confidential and is intended for the sole use of TestAmerica and its client. All questions regarding this report should be directed to the TestAmerica Project Manager or designee who has signed this report.

TestAmerica Laboratories, Inc.

TestAmerica Pittsburgh 301 Alpha Drive, RIDC Park, Pittsburgh, PA 15238 Tel (412) 963-7058 Fax (412) 963-2468 www.testamericainc.com

Page 1 of 1445

Cover Title Page	1
Data Summaries	8
Report Narrative	8
Manual Integration Summary	10
Sample Summary	33
Executive Summary	34
Method Summary	37
Method / Analyst Summary	39
Sample Datasheets	40
Surrogate Summary	68
QC Data Summary	74
Data Qualifiers	124
QC Association Summary	126
Lab Chronicle	134
Reagent Traceability	140
Certification Summary	227
Organic Sample Data	228
GC/MS VOA	228
Method 8260B Low Level	228
Method 8260B Low Level QC Summary	229
Method 8260B Low Level Sample Data	238
Slandards Data	252
Method 8260B Low Level ICAL Data	252
Method 8260B Low Level CCAL Data	299
Raw QC Data	307
Method 8260B Low Level Tune Data	307

Page 2 of 1445

## SAMPLE SUMMARY

Client: URS Corporation

Job Number: 180-2644-1

			Date/Time	Date/Time
Lab Sample ID	Client Sample ID	Client Matrix	Sampled	Received
180-2644-1	TC-1	Water	08/04/2011 0930	08/05/2011 1000
180-2644-2	AW-2	Water	08/04/2011 1320	08/05/2011 1000

TestAmerica Pittsburgh

Page 33 of 1445

DIM0189726 DIM0189729

TestAi	merica Laborai	tory location:		Cha	in of	Pit	. 17	y Re OUI	al	d \		Other		W	ute	〜 り	)_	á				-	STAME		
Client Contact				, ,			1	~			_	- CONT							_	- 4		Te	stAmerica Labor	atories, Inc.	198
Company Name: URS Corporation	Thomas		٠i		Site	Contact Ji		Pir	nto					Ca		ie	Go	. WA	be	×		*	<sup>∞c</sup> *005	408	ř
501 Holiday Dr. Suite 300	Telephone:	503- <i>4</i>			Tele	2-8					Cel	<u>()</u>		12-								1	of	COCs	
City/State/Zip:	Email;				225			interes				Á	H	<u>ت ا</u>								7			į.
Phone:		Pinta@				TATIF	Millionanu I	from bok	·	-	Cocc		-	П	<u>≅</u> 8	รส่	Analy	M		1		ᅱ	als in second		į.
Project Name:	David - B Method of Ship	ment/Carrier:			4		E		week: Lweek:		5	<b>X</b>	× 1		劉			<u>.</u>	.		-				
Kal Fates Focused Site Assessment	Fed E	<u>Next</u>	Day,	<u> Air</u>	4		Ē	) ı	l week				8		뾠	Įğ.		笥	4	뇌					
39938688.00001							¢	Z days				2		بع	100	88	-	Ē\$	9m moni	7007	029				İ
PO# 694872	13 2			letetx	***	erno. T	etalori	7 & Pm	in red	vas:			S	9	놵	뙲	Š	约	N.			अध	A CONTRACTOR		
Sample Identification	Sample Date	Sample Time	Agum	Selid	1380	HNOS	<u>p</u>	NaOH	ZaAe NaOH	Depres		i)		0	Mach	都	干	29	4	۳	200	Z	Sample Speci Special fasts	uctions:	
TC-1	8/4/11	9:30	X	TT	T	T	À			٦	T	Ī	X	X	X	X	X	X	X	X	X	Х			5
AW-2-	8/4/4	13:20		T	1	1					-	1	×	X	X	e l	X	V	يد	又	ž	~			1445
			X	T	$\top$	T				1	1	1	T												of
			X	11	十	T				7	7	1	1										¥		1440
and the second s	100 and 1		X	$\dagger \dagger$	1	T	П	H		1	7	+	+	T											ace 1
The state of the s			<b>X</b>	$\dagger \dagger$	十	$\dagger$		Н		$\dashv$	1	1	1							\$1 \$1					Pac
			X	$\dagger \dagger$	$\top$	+	H				_	$\dagger$	$\dagger$	-											
	Print	1	1	+		+	H	Н		$\exists$		+	+	$\dagger$	$\vdash$			-							diges in the same
			X	.††	+	+	$\dagger \dagger$	Н		$\dashv$	_	+	+	╁	$\vdash$				-	- 3-					
	<del>                                     </del>		y.	+	十	十	H			1		+	+	$\vdash$	-							$\vdash$			
Possible Hazard Identification   Non-Hazard   Flammable   Ski	L	Poisoa B		Unkno		Sample	Dispos	al ( A f	lee ma		sessed i					er thar		with)	<u> </u>		L	Aonths		<i>5</i> ,000	
Special Instructions/QC Requirements & Compents:				\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \							<u> </u>												*	*	
Relinquished by I tala ().	Company:	/RS_		Time: <	114	11	1		ved by	_						4	Comp	H	B	4		-	8/5/11	1000	1
Relinquished by HA FOD FSC	Company:		Date	Time:	-			Recoi	ed by				•				Corug	any:		*			Date/Tilne:	*	
Relinquished by:	Company:		Date	Time:			1	Recei	ived in	Labor	atery b	y;					Com	жиу:					Date/Fine:		december
COSS, Technolos Limentoso III. Solgion reconst. Technolos S Decem " as colonyale of Technolos Emissiones Emiss	**	**************************************		* *							281	é					L		è				TAL 0018	⊱ I (04/I0)	

DIM0189726 DIM0189731

Method 8260B Low Level Blank Data	315
Method 8260B Low Level LCS/LCSD Data	323
Method 82608 Low Level Run Logs	335
GC/MS Semi VOA	337
Method 8270C	337
Method 8270C QC Summary	338
Method 8270C Sample Data	351
Standards Data	374
Method 8270C ICAL Data	374
Method 8270C CCAL Data	466
Raw QC Data	482
Method 8270C Tune Data	482
Method 8270C Blank Data	503
Method 8270C LCS/LCSD Data	510
Method 8270C Run Logs	525
Method 8270C Prep Data	528
GC VOA	530
Method 8015B DAI Glycols	530
Method 8015B DAI Glycols QC Summary	531
Method 8015B DAI Glycols Sample Data	536
Standards Data	542
Method 8015B DAI Glycols ICAL Data	542
Method 8015B DAI Glycols CCAL Data	569
Raw QC Data	578
Method 8015B DAI Glycols Blank Data	578
Method 8015B DAI Glycols LCS/LCSD Data	581

Page 3 of 1445

	Method 80158 DAI Glycols MS/MSD Data	584
М	ethod 8015B DAI Glycols Run Logs	590
M	ethod 8015B DAI Glycols Prep Data	592
RSK_	175	593
R	SK_175 QC Summary	594
R	SK_175 Sample Data	599
St	andards Data	605
	RSK_175 ICAL Data	605
	RSK_175 CCAL Data	631
Ra	sw QC Data	655
	RSK_175 Blank Dala	655
	RSK_175 LCS/LCSD Data	661
R	5K_175 Run Logs - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 -	670
Metho	d 8015B - GRO	673
	ethod 8015B - GRO QC Summary	674
M	ethod 8015B - GRO Sample Data	678
St	andards Data en sans emembre and resource encorporation in the element was substituted in the element of the el	685
	Method 8015B - GRO ICAL Data	685
	Method 8015B - GRO CCAL Data	698
Ra	w QC Data	706
	Method 8015B - GRO Blank Data	706
	Method 8015B - GRO LCS/LCSD Data	709
. Me	ethod 8015B - GRO Run Logs	715
GC Semi	VOA	717
	d 8011	717
	althod 8011 QC Summary	719
. 2 % EN		

Page 4 of 1445

Method 8011 Sample Data	726
Standards Data	732
Method 8011 ICAL Data	732
Method 8011 CCAL Data	789
Raw QC Data is a result and success of the success of the property of the results of the success	812
Method 8011 Blank Data	812
Method 8011 LCS/LCSD Data	815
Method 8011 Run Logs	821
Method 8011 Prep Data	823
Method 8015B - DRO	826
Method 8015B - DRO QC Summary	827
Method 80158 - DRO Sample Data	831
Standards Data	837
Method 80158 - DRO ICAL Data	837
Method 8015B - DRO CCAL Data	869
Raw QC Data	909
Method 8015B - DRO Blank Data	909
Method 8015B - DRO LCS/LCSD Data	912
Method 8015B - DRO Run Logs	918
Method 8015B - DRÖ Prep Data	921
Inorganic Sample Data	922
Metals Data	922
Met Cover Page	923
Met Sample Data	924
Met QC Data	928
Met ICV/CCV	928

Page 5 of 1445

	Met GRQL and the control of the product of the control of the cont	934
	Met Blanks	937
	Met ICSA/ICSAB	945
	Met MS/MSD/PDS	949
	Meilcs/Lcsd	955
	Met Serial Dilution	958
	Met MDL	960
	Met Linear Ranges	968
	Met Preparation Log	969
	Met Analysis Run Log	972
	Met ICP/MS Int Stds	988
	Met Raw Data	992
	Met Prep Data	1241
Ge	neral Chemistry Data	1247
	Gen Chem Cover Page	1248
	Gen Chem Sample Data	1249
	Gen Chem QC Data	1251
	Gen Chem ICV/CCV	1251
	Gen Chem Blanks	1258
	Gen Chem MS/MSD/PDS	1259
	Gen Chem Duplicates	1261
	Gen Chem LCS/LCSD	1262
	Gen Chem MDL	1264
	Gen Chem Preparation Log	1282
	Gen Chem Analysis Run Log	1284
	Gen Chem Raw Data	1297

Page 6 of 1445

Gen Chem Prep Data	1423
Shipping and Receiving Documents	1439
Client Chain of Custody	1440
Sample Receipt Checklist	1444

Page 7 of 1445

### **CASE NARRATIVE**

**Client: URS Corporation** 

**Project: Focused Site Assessment** 

Report Number: 180-2644-1

With the exceptions noted as flags or footnotes, standard analytical protocols were followed in the analysis of the samples and no problems were encountered or anomalies observed. In addition all laboratory quality control samples were within established control limits, with any exceptions noted below. Each sample was analyzed to achieve the lowest possible reporting limit within the constraints of the method. In some cases, due to interference or analytes present at high concentrations, samples were diluted. For diluted samples, the reporting limits are adjusted relative to the dilution required.

Calculations are performed before rounding to avoid round-off errors in calculated results.

All holding times were met and proper preservation noted for the methods performed on these samples, unless otherwise detailed in the individual sections below.

#### RECEIPT

The samples were received on 08/05/2011; the samples arrived in good condition, properly preserved and on ice. The temperature of the coolers at receipt was 0.0 and 0.7 C.

The laboratory received a broken 1L amber bottle for sample TC-1 (180-2644-1).

The laboratory only received six VOA vials for sample AW-2 (180-2644-2) instead of nine.

## LOW LEVEL VOLATILE ORGANIC COMPOUNDS

Methylene Chloride and Toluene were detected in method blank MB 180-10937/3 at levels that were above the method detection limit but below the reporting limit. The values should be considered estimates, and have been flagged "J". If the associated sample reported a result above the MDL and/or RL, the result has been "B" flagged

### SEMIVOLATILE ORGANIC COMPOUNDS (GC-MS)

No difficulties were encountered during the semivolatiles analyses.

### **GAS RANGE ORGANICS**

No difficulties were encountered during the GRO analyses.

### **GLYCOLS**

Triethylene Glycol was detected in method blank MB 480-27399/1-A at a level exceeding the reporting limit. If the associated sample reported a result above the MDL and/or RL, the result has been "B" flagged.

The continuing calibration verification (CCV) (CCV 480-27383/3) for Ethylene Glycol recovered above the upper control limit. The samples associated with this CCV were non-detects for the affected analytes; therefore, the data have been reported.

## DISSOLVED GASES

The following samples submitted for dissolved gases analysis were received with incorrect preservation (pH >2): AW-2 (180-2644-2) and TC-1 (180-2644-1).

## 1,2-DIBROMOETHANE AND 1,2-DIBROMO-3-CHLOROPROPANE BY MICROEXTRACTION AND GAS CHROMATOGRAPHY No difficulties were encountered during the EDB and DBCP analyses.

### **DIESEL RANGE ORGANICS**

No difficulties were encountered during the DRO analyses.

### METALS

Antimony, Boron and Molybdenum were detected in method blank MB 180-10641/1-A at levels that were above the method detection limit but below the reporting limit. The values should be considered estimates, and have been flagged "J". If the associated sample reported a result above the MDL and/or RL, the result has been "B" flagged. Refer to the QC report for details.

Page 8 of 1445

**CABOT-EPA 000183** 

DIM0189726 DIM0189737